

**Kharif-
2014**



Basmati Acreage & Yield Estimation in Punjab, Haryana, Delhi, Uttarakhand, Himachal Pradesh, Western Uttar Pradesh and Parts of Jammu & Kashmir

Report Volume - 2

**Submitted to
Basmati Export
Development
Foundation
(APEDA), New
Delhi**

AgriNet Solutions

(A division of BPPL – a UPL group company)
167, 4th Floor, Ready Money Terrace
Dr. Annie Besant Road, Worli Naka,
Mumbai- 400 018. Tel: 09948228525
Email: dharmesh.verma@uniphos.com



CONTENTS

| S. No. | Description | Page No. |
|--------|-----------------------------------|----------|
| 1. | EXECUTIVE SUMMARY | 2 |
| 2. | PROJECT BACKGROUND | 5 |
| 3. | SCOPE OF THE CURRENT REPORT | 5 |
| 4. | STUDY AREA DETAILS | 6 |
| 5. | RAINFALL OF THE AREA, MAPS | 6 |
| 6. | DISTRICT WISE BASMATI AREA | 11 |
| 7. | BLOCK WISE RICE & BASMATI ACREAGE | 18- 42 |

EXECUTIVE SUMMARY

Scope of the Report

The present report being the second cycle of report for Kharif 2014 covers the results of field survey based acreage report of rice area transplanted and Basmati varieties in the different districts of Punjab, Haryana, Delhi, Uttar Pradesh, Uttarakhand, Himachal Pradesh and Jammu & Kashmir.

Study districts

The study area covers 81 districts, which includes 22 districts of Punjab, 21 districts of Haryana, 30 districts of Uttar Pradesh, 4 districts of Uttarakhand, 1 district of Himachal Pradesh and 3 districts of Jammu & Kashmir.

Rice Acreage

In Punjab, the rice transplanting has been 27,94,000 ha in 22 districts this year. Pusa-1509 has emerged as predominant variety after Pusa-1121 in the state occupying almost 2.5 lakh ha. area. Pusa-1121 acreage (5.42 lakh ha) has also increased by 2% over the last year. CSR-30 also has increased from 18,000 ha. in last year to 43,230 ha this year.

Tarntaran district lead in case of Pusa-1121 occupying 77,890 ha. while in case of Pusa-

1509, Amritsar has been the leading district occupying 43,150 ha area followed by TarnTaran. The area under Basmati is 8,57,440 ha out of which the largest area is in Amritsar (1,30,390 ha), followed by TaranTaran district (1,26,000 ha). Other varieties like PB-1 has occupied 24,620 ha area and Sharbati a Non-Basmati long grain variety has been transplanted in 38,370 ha.

In Haryana, Out of the total 11.38 lakh ha rice area transplanted, 8.03 lakh ha has been estimated under Basmati varieties. Karnal has been the leading district occupying maximum area under Basmati (1,28,000 ha) with several varieties transplanted followed by Kaithal district (1,16,070 ha). In Haryana, Pusa-1509 has been transplanted in almost every block under Basmati and has occupied 1,22,490 ha area in the state. Other varieties grown are Pusa Basmati-1, Punjab Basmati-3, Pusa-1401, CSR-30, HBC-19. CSR-30 has again been preferred by the farmers in the state and replaced Pusa-1121 in many districts. The variety occupied 1,33,860 ha area this year. Crop condition is good, but of course, the recent rains have given relief to the crop and



the farmers after a continued dry spell for the initial three months.

In Uttar Pradesh, a total of 14,11,970 ha rice transplanting has been estimated based on field survey in 26 districts this year. Shahjehanpur district has the largest total rice area (2,21,200 ha), followed by Pilibhit (1,58,000 ha). Out of the total 3,59,860 ha Basmati area, Pusa-1121 has occupied 1,87,620 ha, Pusa-1509 1,12,480 ha, Pusa Basmati-1 46,230 ha and the other varieties, Basmati-370, CSR-30 and Type-3 have been transplanted in 13,530 ha. area.

Pusa-1509 variety seed was sold very enthusiastically in the state but due to lack of technical information, the farmers transplanted over mature seedlings and the disease '*Bakanae*' has been observed in the crop which may discourage the farmers to grow the variety next year.

In Uttarakhand, A total of 1,25,680 ha rice transplanting has been estimated based on field survey in 4 districts of the state this year. Udhampur Singh Nagar district has the largest area under rice (94,000 ha). Out of the total 21,370 ha Basmati area, Pusa-1121 has been transplanted in 4,710 ha, Pusa Basmati-1509,

8,200 ha, PusaBasmati-1 in 1,700 ha and Type-3 in 6,760 ha. The Udhampur Singh Nagar district has the maximum area under Basmati occupying 10,000 ha. Out of which 6,800 ha has been transplanted under Pusa-1509.

In Jammu & Kashmir, three districts have been taken up for the study. The total rice area is estimated to be 1,42,100 ha in these districts. Jammu is the leading district with 90,000 ha. Out of 65,640 ha Basmati area, Basmati -370 has occupied 57,150 ha, Pusa-1509, 2,200 ha, Pusa-1121, 6,290 ha and the Non- Basmati long grain Sharbati 10,990 ha. This year the state has witnessed scanty rainfall during the initial 3 months of Monsoon.

In Himachal Pradesh, Only Kangra district has the Basmati area in the state. Out of 15 blocks of the district, only 3 have Sharbati, Pusa-1121 and Kasturi Basmati. This year the transplanting of Basmati has not been very encouraging due to deficient rainfall and only 450 ha area has been transplanted under Basmati.

State wise total rice, Basmati varieties area has been given in table below:

Table : State-wise Transplanted Area, Basmati & Non-Basmati long grain Rice area during Kharif 2014

| S. No. | State | Transplanted Total Rice | Total Basmati | HBC-19 / Type-3/ 370 | Pusa Basmati-1121 | Pusa Basmati-1 | Punjab Basmati-3 | Pusa-1401 | CSR-30 | Pusa Basmati-1509 | Non-notified Sharbati | Non-notified Sugandha |
|--------------|------------------|-------------------------|---------------|----------------------|-------------------|----------------|------------------|--------------|---------------|-------------------|-----------------------|-----------------------|
| 1 | Haryana | 1138.00 | 802.90 | 6.2 | 423.4 | 86.41 | 8.02 | 22.6 | 133.86 | 122.49 | 5.94 | |
| 2 | Punjab | 2794.00 | 857.44 | | 542.43 | 24.62 | | 43.23 | 247.16 | 38.37 | | |
| 3 | W.Uttar Pradesh | 1411.97 | 359.87 | 1.27 | 187.62 | 46.23 | | 12.27 | 112.48 | 145.75 | 150.51 | |
| 4 | Uttarakhand | 125.68 | 21.38 | 3.48 | 4.71 | 1.7 | | 3.29 | 8.2 | 13.59 | 1.15 | |
| 5 | Himachal Pradesh | 56.0 | 0.45 | 0.02 | 0.43 | | | | | 0.22 | | |
| 6 | Jammu & Kashmir | 142.1 | 68.45 | 59.97 | 6.29 | | | | 2.2 | 10.99 | | |
| Total | | 5667.7 | 2110.5 | 70.89 | 1164.88 | 158.96 | 8.02 | 22.57 | 192.65 | 492.53 | 214.86 | 151.66 |

Area in '000 ha

Project Background

Basmati rice is an important export commodity among the food grains exported from India. During the past few years, the Basmati export has been growing steadily, from 7.71 lakh metric tonnes in 2003 to an estimated 35.0lakh metric tonnes in 2013-14 on robust demand from the traditional markets in West Asia. Iran alone has been importing >40% of the total Basmati export from India. Now China has taken a decision to import Indian Basmati rice which is likely to further increase the Indian Basmati demand.

Timely information on the area and likely production of the crop before the harvest helps exporters and other decision makers involved in Basmati trade to take decisions about the quantum and time of export. The export of Basmati is on continuous rise year by year from India and has reached to >3.76million by 2013-14. Realizing this potential, the Basmati Export Development Foundation (BEDF), New Delhi contracted M/s. AgriNet Solutions (A division of BPPL – a UPL Group Company) the work of field survey validation based acreage estimation for all rice, for Basmati crop for selected

other non-notified varieties), crop health monitoring and yield estimation and production for Basmati rice and non-notified varieties and questionnaire based sample survey of farmers, for 75 selected districts of Punjab, Haryana, Uttar Pradesh, Uttarakhand, Himachal Pradesh and Jammu & Kashmir, apart from Delhi, during Kharif 2011. During the year 2013, the number of districts has been increased to 81 in the selected seven states i.e. Punjab, Haryana, Uttar Pradesh, Uttarakhand, Himachal Pradesh, and Jammu & Kashmir apart from Delhi. This year the field survey based approach is being applied to collect the information at block level to improve the accuracy further to a desired level.

The Basmati varieties for which information is required include Basmati-370, Basmati-386, Pusa Basmati-6, Punjab Basmati-3 Type-3 (Dehraduni), Taraori (HBC-19), Ranbir (Basmati-370), Pusa-1509, Pusa Basmati-1, CSR – 30 and PusaBasmati-1121 and non-notified, non-Basmati (Sharbati and Sugandha -5).

Scope of the current report

The present report being the second cycle of report for Kharif-2014 covers the results



of field survey based total rice and Basmati acreage under various varieties in different blocks, districts and states.

Study Area Details

The study is confined to 81 districts, which includes 22 districts of Punjab (Amritsar, Barnala, Bathinda, Faridkot, Fatehgarh Sahib, Firozpur, Fazilka, Gurdaspur, Pathankot, Hoshiarpur, Jalandhar, Kapurthala, Ludhiana, Mansa, Moga, Mohali, Muktsar, Nawanshahar, Patiala, Ropar, Sangrur and Tarantaran), 21 districts of Haryana (Ambala, Faridabad, Bhiwani, Fatehabad, Gurgoan, Hissar, Jhajjar, Jind, Kaithal, Karnal, Kurukshetra, Mahendragarh, Mewat, Palwal, Panchkula, Panipat, Rewari, Rohtak, Sirsa, Sonepat, Yamunanagar), 3 Districts of Jammu & Kashmir (Jammu, Samba and Kathua), 30 districts of Uttar Pradesh (Agra, Aligarh, Auraiya, Baghpat, Bareilly, Bijnore, Budaun, Bulandshahr, Etah, Kasganj, Etawah, Ferozabad, Gautam Buddha Nagar, Ghaziabad, Hapur, Hathras, J. P. Nagar, Kannauj, Mainpuri, Mathura, Meerut,

Moradabad, Sambhal, Muzaffarnagar, Shamli, Pilibhit, Rampur, Saharanpur, Shahjehanpur), 4 districts of Uttarakhand, 1 district of Himachal Pradesh and one of Delhi. The map of the study districts is given as Fig. The study districts form a part of the Himalayas and the Indo-Gangeic Plains.

Rainfall

The Basmati growing belt in all the states has witnessed deficient to scanty rainfall in the months of June, July & August this year leading to delayed transplanting and early earring of Pusa-1509. In Uttar Pradesh, the major western districts received scanty rainfall and facing electricity crunch due to which the crop is looking weak and yield reduction is expected. The new variety Pusa-1509 has occupied the area from other non-Basmati early maturing rices. The rainfall during 1 June to 03 Sept. 2014 in meteorological divisions under study area is given in table-1 and the rainfall in prominent districts in table-2.






Table 1: Rainfall (mm) in the Meteorological Divisions in different states (1.6.2014 to 04.9.2014)

| Met. Division | 1 June to 04 Sept. '14 | | Remarks |
|------------------|------------------------|-------------|-----------|
| | Normal | Actual | |
| Punjab | 418.6 | 171.0 (-59) | Deficient |
| Haryana, Delhi | 401.9 | 150.5 (-63) | Scanty |
| Western UP | 647.8 | 279.0 (-57) | Deficient |
| Himachal Pradesh | 713.7 | 460.8 (-35) | Deficient |
| Uttarakhand | 1061.5 | 820.4 (-23) | Deficient |
| Jammu & Kashmir | 456.2 | 372.4 (-18) | Deficient |

Note: Figures in parentheses show percent deviation from normal.

Table 2: Rainfall in the monsoon season at important locations (1 June to 03 Sept. 2014)

| Location / District | Total Rainfall (mm) | Normal Rainfall | % Departure from normal | Status |
|---------------------|---------------------|-----------------|-------------------------|-----------|
| Ambala | 367.4 | 761.7 | -52 | Deficient |
| Hissar | 89.9 | 277.3 | -68 | Scanty |
| Karnal | 186.3 | 492.1 | -62 | Scanty |
| Jammu | 513.7 | 765.7 | -33 | Deficient |
| Kathua | 591.2 | 879.8 | -33 | Deficient |
| Amritsar | 100.5 | 461.4 | -78 | Scanty |
| Sangrur | 67.7 | 364.1 | -81 | Scanty |
| Patiala | 93.5 | 518.9 | -82 | Scanty |
| Nainital | 1296.8 | 1217.3 | 7 | Normal |
| Dehradun | 1173.3 | 1578.4 | -26 | Deficient |
| Kangra | 959.1 | 1385.5 | -31 | Deficient |
| Meerut | 193.0 | 651.2 | -70 | Scanty |
| Saharanpur | 245.7 | 688.6 | -64 | Scanty |
| Bulandshaher | 133.2 | 552.6 | -76 | Scanty |

Source: IMD

Fig. 1: Map Showing the Districts of the Study Area



Ground Survey based Rice Acreage

HARYANA

In Haryana, the total rice acreage based on field survey has been estimated at 11,38,000 ha in 21 districts. The preliminary survey has revealed that almost 8.03 lakh ha is transplanted under various Basmati varieties. Karnal and Kaithal are occupying largest area under Basmati varieties. Interestingly, after 2 years, CSR-30 has again got significance and preferred by the farmers occupying 1.33 lakh ha area. Though the early maturing variety Pusa-1509 has also occupied >1.22 lakh ha area but the area under Pusa-1121 reduced indicating a varietal shift again.

The district wise area figures under Basmati varieties have been given in Table-3 and block wise in annexure.

PUNJAB

1. A total of 27.94 lakh ha. area has been transplanted in the state this year. Whereas last year 27.41 lakh ha area was transplanted. Basmati has occupied 8.57 lakh ha and the area under Basmati varieties has increased by almost 45%.
2. After Pusa-1121, the other variety transplanted in the major area state under

Basmati is Pusa-1509 (>2.47 lakh ha. Pusa-1121 has increased about 2% in comparison to last year. PB-1 and CSR-30 have again got some significance by the farmers and has been transplanted in >24,000 ha. and 43,000 ha. area respectively.

3. Sharbati and Pusa-1509 have reached at harvesting stage. The productivity is likely to be 3.5-4.0 tons/ha.
4. Heavy rainfall during the first week of September may cause 2-3% yield losses to Sharbati and Pusa-1509.
5. Water inundation is observed in few villages of Mansa district, which may damage the cotton crop.

The district-wise acreage under total rice and Basmati rice is given in Table-4 and block wise in the annexure.

W. UTTAR PRADESH

In 30 districts of Basmati growing belt, a total 14.12 lakh ha area could be transplanted this year due to deficient rainfall during the transplanting time. The area under Pusa-1121 has been 1.88 lakh ha. area and Pusa-1509 has emerged as a second predominant variety covering 1.12 lakh ha. area. CSR-30 is recognized by the farmers this year in the



area which has occupied 12,270 ha. area. Long grain Non-Basmati variety Sugandha has increased by 34% replacing Pusa-1121. The area under Pusa-1121 has decreased due to more incidence of *Bakanae*. In case of Pusa-1509 the yield losses are expected due to water scarcity during the flowering & milky stages. The crop health is very weak. Almost 8-10% crop of Pusa-1509 flowered in early stage due to over mature seedling transplantation (30-35 days). Power supply has been a constraint for irrigation in the area.

Pusa-1509 has reached to its maturity stage, while Pusa-1121 is at vegetative stage. Some arrival of Pusa Basmati-1509 from Potato dominant belt is reported in Jahangirabad mandi. The Crop Cutting Experiments are yet to start but productivity may range between 3.5-4.0 tons/ha.

District wise acreage transplanted rice as on 7th August, 2014 is given Table-9 and Seed Information in Table -4.

UTTARAKHAND

The rainfall was normal during the months of June & July in Hardwar and Nainital, while Dehradun and Udhampur Singh Nagar have

received deficient rain spell. Pusa-1509 has been transplanted in >8,000 ha. area in the state. Some area in Udhampur Singh Nagar was transplanted early in March with Pusa-1509, and the produce has started reaching the mandies.

The district wise acreage is given in Table-7 and Block wise acreage in annexure.

JAMMU & KASHMIR

The rice transplanting in Jammu & Kashmir started late due to late onset of monsoon. The farmers have opted for Pusa-1509 too apart from Pusa-1121 this year in few important blocks of Kathua. Both Jammu and Kathua districts have received deficient rainfall during the months of June, July & August. But recently in first week of September, there has been a heavy rainfall causing a flood like situation. The area under Pusa-1121 and Sharbati has increased significantly this year mainly in Kathua district.

The estimated variety wise Basmati area in the districts is given in Table 9.

HIMACHAL PRADESH

Only 10,000 ha. area has been transplanted in major Basmati growing district Kangra in the state this year due to deficient rainfall



during the months of June & July. Almost 30% area couldn't be transplanted.

The total rice and Basmati acreage in Kangra district of Himachal Pradesh during Kharif-2014 is given Table-12.

Table 3: District-wise acreage under total rice and Basmati rice in Haryana during Kharif 2014

| S. No. | District | Total Rice (Basmati + Non- Basmati) | Taraori (HBC-19) | Pusa Basmati- 1121 | Super (Shabnam) | CSR-30 | Pusa Basmati- 1509 | Pusa Basmati- 1 | Punjab Basmati-3 | Pusa Basmati -6 (Pusa-1401) | Sharbati | Area in '000 ha |
|--------------|-------------|---|---------------------|-----------------------|--------------------|---------------|-----------------------|--------------------|---------------------|-----------------------------------|-------------|-----------------|
| 1 | Ambala | 81.4 | | 11.54 | 0.86 | 14.94 | | | 0.04 | | | 0.75 |
| 2 | Bhiwani | 11.7 | | 10.20 | | | | 1.10 | 0.20 | | | |
| 3 | Faridabad | 9.2 | | 8.05 | | | | 0.15 | 0.25 | | | |
| 4 | Gurgaon | 3.0 | | 3.00 | | | | 0.50 | | | | |
| 5 | Fatehabad | 90.0 | 0.27 | 19.22 | | 1.04 | 9.40 | 19.01 | 0.81 | | 3.41 | |
| 7 | Hisar | 39.2 | | 25.91 | 0.42 | 1.52 | 7.73 | 1.47 | | | 0.14 | 1.10 |
| 8 | Jajhar | 28.0 | | 26.39 | | 1.38 | | | | | | 0.03 |
| 9 | Jind | 98.6 | 0.04 | 47.49 | 0.42 | 9.26 | 11.25 | | 14.67 | 1.66 | 2.18 | 2.29 |
| 10 | Kaithal | 157.6 | 0.41 | 46.63 | | 34.29 | 17.77 | | 12.84 | | 4.55 | 0.05 |
| 11 | Karnal | 165.0 | 1.14 | 52.37 | | 43.68 | 27.22 | | 1.89 | | 0.51 | 0.59 |
| 12 | Kurukshetra | 115.0 | | 20.33 | 0.50 | 22.44 | 14.94 | | 0.49 | 1.20 | 0.48 | 0.12 |
| 13 | Mewat | 2.5 | | 2.25 | | | | | | | | |
| 14 | Palwal | 27.1 | 0.35 | 18.05 | | | | 1.60 | | | | |
| 15 | Panchkula | 8.0 | | | | | | | | | | |
| 16 | Panipat | 70.0 | | 43.28 | | | | | | | | |
| 17 | Rewari | 1.8 | | 1.60 | | | | | | | | |
| 18 | Rohtak | 30.9 | | 19.19 | | | | 1.79 | 2.49 | 0.37 | 0.50 | 0.19 |
| 19 | Sirsia | 62.0 | | 14.62 | | | | | 5.83 | 23.94 | 1.41 | 11.31 |
| 20 | Sonepat | 70.0 | | 50.84 | 0.59 | 3.38 | 11.68 | | 1.75 | 0.04 | | 0.53 |
| 21 | Yamunanagar | 66.0 | | 2.45 | | 0.17 | 4.98 | | 9.54 | | | 0.31 |
| Total | | 1137.0 | 2.21 | 423.40 | 2.79 | 133.86 | 122.49 | 86.41 | 8.02 | 22.57 | 5.94 | |

Table 4: District-wise acreage under total rice and Basmati rice in Punjab during Kharif 2014

| S. No. | District | Total Rice (Basmati + Non- Basmati) | Basmati- 386/CSR-30 | Pusa Basmati- 1121 | Pusa Basmati- 1509 | Pusa Basmati - 1 | Area in '000 ha |
|--------------|------------------------|---|------------------------|-----------------------|-----------------------|---------------------|-----------------|
| | | | | | | | Sharbati |
| 1 | Amritsar | 186.9 | 10.34 | 76.90 | 43.15 | | 5.81 |
| 2 | Barnala | 104.0 | | 2.80 | 0.56 | 2.64 | |
| 3 | Bhatinda | 103.0 | | 7.86 | 11.82 | 4.91 | |
| 4 | Faridkot | 103.0 | | 20.90 | 1.10 | | |
| 5 | Fatehgarh Sahib | 86.0 | 0.96 | 8.91 | 9.13 | | |
| 6 | Fazilka | 256.0 | | 50.40 | 21.60 | | |
| 7 | Firozepur | | | 26.01 | 10.22 | 5.77 | |
| 8 | Gurdaspur | 204.0 | 10.43 | 49.94 | 24.37 | | 16.11 |
| 9 | Pathankot | | | 7.81 | 3.19 | | 12.64 |
| 10 | Hoshiarpur | 72.0 | 2.71 | 6.95 | 5.34 | | |
| 11 | Jalandhar | 159.0 | 2.09 | 16.61 | 5.30 | | |
| 12 | Kapurthala | 115.0 | 1.38 | 15.08 | 5.47 | | |
| 13 | Ludhiana | 255.0 | 1.74 | 24.29 | 7.93 | | |
| 14 | Mansa | 72.0 | | 7.69 | 5.90 | 1.41 | |
| 15 | Moga | 172.0 | 0.70 | 25.42 | 9.16 | 1.72 | |
| 16 | Mohali | 30.0 | 0.43 | 2.79 | 0.78 | | |
| 17 | Muktsar | 107.0 | | 66.99 | 7.01 | | |
| 18 | Nawanshahar | 55.0 | 1.17 | 5.06 | 1.77 | | |
| 19 | Patiala | 234.0 | 2.86 | 16.83 | 13.06 | 4.94 | |
| 20 | Rupnagar | 37.0 | 0.85 | 4.05 | 2.10 | | |
| 21 | Sangrur | 270.0 | | 21.25 | 17.66 | 3.23 | |
| 22 | Tarantaran | 174.0 | 7.57 | 77.89 | 40.54 | | 3.81 |
| Total | | 2794.9 | 43.23 | 542.43 | 247.16 | 24.62 | 38.37 |

Table 3a: Percentage change in acreage of Basmati & Non-Basmati varieties of rice in 2014 over 2013 in Haryana

| S. No. | Variety | Acreage 2013 | Acreage 2014 | Area '000 ha |
|----------|-------------------------------|---------------|---------------|---------------|
| 1 | Basmati | | | |
| | Pusa Basmati-1121 | 485.21 | 423.4 | -12.7 |
| | Pusa Basmati-1 | 101.83 | 86.41 | -15.1 |
| | Punjab Basmati-3 | | 8.02 | |
| | HBC-19 | 6.15 | 2.21 | -64.1 |
| | Pusa Basmati-6 | 11.89 | 22.57 | 89.8 |
| | Super (Shabnam) | 2.35 | 2.79 | 18.7 |
| | Pusa Basmati-1509 | 9.86 | 122.49 | 1142.3 |
| | CSR-30 | 95.27 | 133.86 | 40.5 |
| 2 | Non-Basmati Long grain | | | |
| | Sharbati | 17.02 | 5.94 | -65.10 |
| | Total Basmati | 712.56 | 801.75 | 12.5 |

Table 4a: Percentage change in acreage of Basmati & Non-Basmati varieties of rice in 2014 over 2013 in Punjab

| S. No. | Variety | Acreage 2013 | Acreage 2014 | Area '000 ha |
|----------|---------------------------------|---------------|---------------|--------------|
| 1 | Basmati | | | |
| | Pusa Basmati-1121 | 531.96 | 542.43 | 2.0 |
| | Pusa Basmati-1 | 3.05 | 24.62 | 707.2 |
| | Pusa Basmati-1509 | 35.65 | 247.16 | 593.3 |
| | CSR-30 & Basmati-386 | 17.85 | 43.23 | 142.2 |
| 2 | Non-Basmati Long grain | | | |
| | Sharbati | 39.1 | 38.37 | -1.87 |
| | Total Basmati | 588.51 | 857.44 | 45.7 |



Table 5: District-wise acreage under total rice, Basmati rice and non-notified long grained non-Basmati varieties in Uttar Pradesh during Kharif 2014

| S. No. | District | Transplanted Total Rice | Basmati-370 /CSR-30/Type-3 | Pusa Basmati-1121 | Pusa Basmati-1509 | Pusa Basmati-1 | Sharbati | Area in '000 ha Sugandha |
|--------------|----------------------|-------------------------|----------------------------|-------------------|-------------------|----------------|---------------|--------------------------|
| 1 | Agra | 3.92 | | 0.36 | 0.48 | 0.08 | | 2.48 |
| 2 | Aligarh | 57.21 | 0.01 | 18.35 | 7.25 | 4.47 | 1.53 | 15.55 |
| 3 | Auraiya | 45.05 | 0.78 | 5.59 | 2.97 | 0.18 | | 3.71 |
| 4 | Baghpat | 5.68 | 0.22 | 1.47 | 1.28 | 1.14 | 0.10 | 1.20 |
| 5 | Bareilly | 161.55 | 0.50 | 2.59 | 7.26 | 0.88 | 45.16 | 2.97 |
| 6 | Bijnore | 32.95 | 0.20 | 3.24 | 4.03 | 3.16 | 17.11 | 2.29 |
| 7 | Budaun | 54.61 | 8.64 | 3.09 | 6.08 | 1.30 | 14.93 | 7.79 |
| 8 | Bulandshahr | 61.52 | 0.01 | 21.07 | 6.74 | 6.15 | 1.49 | 22.15 |
| 9 | Etah+Kasganj | 32.93 | | 5.46 | 4.85 | 0.57 | 0.69 | 11.14 |
| 10 | Farukhabad | 12.41 | | 0.37 | 0.95 | 0.04 | 0.01 | 3.05 |
| 11 | Firozabad | 19.97 | | 2.99 | 2.09 | 0.22 | 0.12 | 7.37 |
| 12 | Etawah | 42.65 | | 9.92 | 6.50 | 0.15 | 0.05 | 5.71 |
| 13 | Gautam Buddha Nagar | 24.84 | | 18.01 | 1.83 | 1.60 | 0.59 | 1.28 |
| 14 | Ghaziabad+Hapur | 20.46 | 0.03 | 5.69 | 3.64 | 1.10 | 1.04 | 7.41 |
| 15 | Hathras | 19.95 | | 4.44 | 3.38 | 0.82 | 0.36 | 8.94 |
| 16 | Mathura | 47.69 | | 28.87 | 5.00 | 1.18 | 0.27 | 7.43 |
| 17 | Mainpuri | 60.03 | | 19.77 | 11.74 | 0.24 | | 8.32 |
| 18 | Meerut | 15.94 | 0.19 | 3.26 | 2.93 | 3.27 | 0.31 | 4.12 |
| 19 | Moradabad | 70.74 | 0.25 | 2.64 | 3.65 | 0.73 | 8.51 | 4.54 |
| 20 | J. P. Nagar | 19.88 | 0.03 | 1.72 | 3.14 | 1.35 | 6.18 | 3.33 |
| 21 | Kannauj | 12.47 | | 1.40 | 1.30 | 0.11 | | 4.36 |
| 22 | Muzaffarnagar+Shamli | 20.53 | 0.32 | 4.69 | 2.92 | 5.10 | 0.84 | 2.31 |
| 23 | Pilibhit | 159.45 | 0.03 | 2.02 | 2.34 | 0.16 | 2.59 | 0.44 |
| 24 | Rampur | 129.10 | 0.14 | 1.20 | 5.30 | 0.29 | 23.19 | 0.75 |
| 25 | Saharanpur | 48.99 | 0.34 | 12.82 | 6.96 | 10.45 | 7.20 | 4.72 |
| 26 | Shahjehanpur | 205.45 | 1.72 | 3.18 | 3.96 | 0.76 | 6.47 | 1.37 |
| 27 | Sambhal | 26.08 | 0.15 | 3.48 | 3.95 | 0.79 | 7.06 | 5.82 |
| Total | | 1411.97 | 13.53 | 187.62 | 112.48 | 46.23 | 145.75 | 150.51 |



Table 6: Percentage change in acreage of Basmati & Non-Basmati varieties of rice in 2014 over 2013 in Uttar Pradesh

| S. No. | Variety | Acreage 2013 | Acreage 2014 | % change |
|----------|-------------------------------|---------------|---------------|---------------|
| 1 | Basmati | | | |
| | Pusa Basmati-1121 | 267.75 | 187.62 | -29.93 |
| | Pusa Basmati-1 | 55.85 | 46.23 | -17.22 |
| | Pusa Basmati-1509 | 0.00 | 112.48 | |
| | Type-3 | 11.6 | 0.53 | -95.47 |
| | CSR-30 | 3.2 | 12.27 | 283.31 |
| | HBC-19 (Taraori) | 2.4 | 0.74 | -69.08 |
| 2 | Non-Basmati Long grain | | | |
| | Sharbati | 132.4 | 145.75 | 10.08 |
| | Sugandha | 112.3 | 150.51 | 34.02 |
| | Total Basmati | 340.80 | 359.86 | 5.59 |

Table 7: District-wise area transplanted under Basmati and long grain Non basmati in Uttarakhand during Kharif 2014

| S. No. | District | Transplanted Total Rice | B-370/CSR-30/HBC-19/Type-3 | Pusa Basmati-1121 | Pusa-1509 | Pusa Basmati-1 | Sharbati | Sugandha |
|--------|-------------------|-------------------------|----------------------------|-------------------|-------------|----------------|--------------|-------------|
| 1 | Dehradun | 8.0 | 2.21 | 0.3 | 0.1 | 0.02 | 2.34 | 0.13 |
| 2 | Haridwar | 13.43 | 2.74 | 2.1 | 0.9 | 1.32 | 3.39 | 0.48 |
| 3 | Nainital | 10.3 | 1.06 | 0.2 | 0.4 | 0.07 | 0.06 | 0.13 |
| 4 | Udham Singh Nagar | 94.0 | 0.8 | 2.2 | 6.8 | 0.29 | 7.80 | 0.43 |
| | Total | 125.68 | 6.76 | 4.71 | 8.20 | 1.70 | 13.59 | 1.15 |

Table 8: Percentage change in acreage of Basmati & Non-Basmati varieties of rice in 2014 over 2013 in Uttarakhand

| S. No. | Variety | Acreage 2013 | Acreage 2014 | % change |
|----------|-------------------------------|--------------|--------------|---------------|
| 1 | Basmati | | | |
| | Pusa Basmati-1121 | 5.5 | 4.71 | -14.4 |
| | Pusa Basmati-1 | 2.3 | 1.70 | -26.3 |
| | Pusa Basmati-1509 | 0.0 | 8.20 | |
| | Type-3 | 5.0 | 2.85 | -43.1 |
| | Basmati-370 | 3.0 | 3.29 | 9.7 |
| | HBC-19 (Taraori) | 2.0 | 0.63 | -68.8 |
| 2 | Long grain Non-Basmati | | | |
| | Sharbati | 33.0 | 13.59 | -58.83 |
| | Sugandha | 3.0 | 1.15 | -61.60 |
| | Total Basmati | 17.8 | 21.4 | 20.04 |

Table 9: District-wise acreage under total rice and Basmati rice in Jammu & Kashmir during Kharif 2014

| Area '000 ha | | | | | | |
|--------------|----------|--------------|-------------------|-------------------|--------------|--------------|
| S. No. | District | Total Rice | Pusa Basmati-1121 | Pusa Basmati-1509 | Basmati-370 | Sharbati |
| 1 | Jammu | 90.0 | 1.58 | | 50.13 | 10.18 |
| 2 | Kathua | 40.0 | 4.55 | 1.8 | 7.03 | 0.54 |
| 3 | Samba | 12.1 | 0.16 | 0.4 | 2.82 | 0.28 |
| Total | | 142.1 | 6.29 | 2.20 | 57.15 | 10.99 |

Table 9a: Percentage change in acreage of Basmati & Non-Basmati varieties of rice in 2014 over 2013 in Jammu & Kashmir

| Area '000 ha | | | | |
|--------------|-------------------------------|--------------|--------------|-------------|
| S. No. | Variety | Acreage 2013 | Acreage 2014 | % change |
| 1 | Basmati | | | |
| | Pusa Basmati-1121 | 2.95 | 6.29 | 113.3 |
| | Pusa Basmati-1509 | | 2.20 | |
| | Basmati-370 | 34.30 | 59.96 | 74.8 |
| 2 | Long grain Non-Basmati | | | |
| | Sharbati | 1.6 | 10.99 | 586.88 |
| | Total Basmati | 37.2 | 68.5 | 83.8 |

Table 10: District-wise acreage under Basmati rice in Himachal Pradesh during Kharif 2014

| Area '000 ha | | | | |
|--------------|-------------|-------------------|-----------------|-------------|
| District | Total Rice | Pusa Basmati-1121 | Kasturi Basmati | Sharbati |
| Kangra | 9.85 | 0.43 | 0.02 | 0.22 |
| | 9.85 | 0.43 | 0.02 | 0.22 |

Block wise Basmati acreage in Haryana during kharif -2014

| Area (ha) | | | | | | | | | | | |
|-----------|--------------------|---------------|--------------|--------------|------------|--------------|--------------|-------------|-------------|-------------|------------|
| Sl. No. | District/Block | Total Paddy | Pusa 1121 | CSR 30 | Super | Pusa 1509 | PB -1 | PB-3 | HBC 19 | Pusa 1401 | Sharbati |
| 1 | Kaithal | 157600 | 46630 | 34290 | 0 | 17765 | 12840 | 0 | 410 | 4545 | 50 |
| | Pundri | 38000 | 9185 | 18745 | | 3795 | 785 | | 410 | 50 | |
| | Seevan | 10400 | 1680 | 110 | | 1500 | 1050 | | | 140 | |
| | Gulha | 38000 | 7295 | 330 | | 3535 | 2975 | | | 1080 | 50 |
| | Rajond | 15500 | 9680 | 2670 | | 2090 | 950 | | | | 110 |
| | Kaithal | 43700 | 12880 | 9375 | | 5745 | 6620 | | | 2085 | |
| | Kalayat | 12000 | 5910 | 3060 | | 1100 | 460 | | | 1080 | |
| 2 | Karnal | 165000 | 52370 | 43675 | 0 | 27215 | 1890 | 2360 | 1140 | 510 | 585 |
| | Nissang | 28000 | 8850 | 6630 | | 4900 | 245 | | 375 | 120 | |
| | Assandh | 28000 | 12770 | 2970 | | 4360 | 420 | | 365 | | 30 |
| | Nilokheri | 28000 | 4800 | 15310 | | 3340 | | | 485 | 720 | |
| | Gharunda | 27500 | 14260 | 2230 | | 6800 | 1060 | | 170 | | 480 |
| | Indri | 26000 | 4340 | 12580 | | 2740 | | | 820 | 300 | |
| | Karnal | 27500 | 7350 | 3955 | | 5075 | 165 | | 145 | | 425 |
| 3 | Kurukshetra | 115000 | 20330 | 22440 | 500 | 14940 | 490 | 1200 | 0 | 480 | 120 |
| | KRK | 35800 | 4660 | 7300 | | 4700 | 490 | | 920 | | 480 |
| | Babain | 7500 | 500 | 260 | | 2340 | | | | | |
| | Ladwa | 10200 | 1770 | 30 | | 3200 | | | | | |
| | Pehowa | 37000 | 7800 | 9850 | | 4200 | | | 280 | | 120 |
| | Sahabad | 24500 | 5600 | 5000 | | 500 | | | | | |
| 4 | Rohtak | 30900 | 19185 | 1785 | 0 | 2490 | 365 | 500 | 0 | 0 | 185 |
| | Rohtak | 10000 | 8450 | 435 | | 375 | 220 | | | | |
| | Lakhannajra | 6300 | 3905 | 180 | | 945 | | | 500 | | |
| | Sampura | 2900 | 1870 | 785 | | | | | | | 185 |
| | Meham | 7700 | 4960 | 385 | | 1170 | 145 | | | | |
| | Kalanaur | 4000 | | | | | | | | | |
| 5 | Faridabad | 9200 | 8050 | 0 | 0 | 150 | 250 | 0 | 0 | 0 | 0 |
| | Faridabad | 2200 | 1900 | | | 50 | 100 | | | | |
| | Ballabhgarh | 7000 | 6150 | | | 100 | 150 | | | | |

Block wise Basmati acreage in Haryana during kharif -2014

| Sl. No. | District/Block | Total Paddy | Pusa 1121 | CSR 30 | Super | Pusa 1509 | PB -1 | PB-3 | HBC 19 | Pusa 1401 | Sharbati | Area (ha) |
|-----------|------------------|--------------|--------------|-------------|----------|-------------|--------------|-------------|------------|--------------|-----------|-----------|
| 6 | Palwal | 27100 | 18050 | 0 | 0 | 1600 | 0 | 0 | 350 | 0 | 0 | 0 |
| | Palwal | 11600 | 7600 | | | 1000 | | | | | | |
| | Hodal | 6100 | 4000 | | | 450 | | | | | | |
| | Hathin | 3500 | 2450 | | | 50 | | | | | | |
| | Hassanpur | 5900 | 4000 | | | 100 | | | | | | |
| 7 | Fatehabad | 90000 | 19220 | 1035 | 0 | 9400 | 19005 | 810 | 270 | 3410 | 0 | 0 |
| | Tohana | 22850 | 9000 | 950 | | 1810 | 1460 | | | | | 190 |
| | Fatehabad | 17650 | 6350 | | | 3010 | 3500 | 280 | | | | 610 |
| | Bhuna | 6850 | 1180 | 35 | | 1210 | 2895 | 40 | | | | 160 |
| | Ratia | 30200 | 2690 | 50 | | 3370 | 11150 | 490 | 270 | | | 2450 |
| | Jakhal | 12050 | | | | | | | | | | |
| | Bhattukalan | 400 | | | | | | | | | | |
| 8 | Sirsra | 62000 | 14615 | 0 | 0 | 5825 | 23940 | 1410 | 0 | 11310 | 0 | 0 |
| | Ellanbad | 17500 | 2690 | | | 1650 | 8545 | | | | | 4215 |
| | Sirsra | 20500 | 5925 | | | 2875 | 6295 | 310 | | | | 3095 |
| | Rania | 14300 | 4000 | | | 1300 | 4000 | 1100 | | | | 3000 |
| | Baragua | 3000 | 1000 | | | | 1800 | | | | | 200 |
| | Dabwali | 3000 | 500 | | | | 1900 | | | | | 200 |
| | Odhian | 700 | | | | | | | | | | |
| | Natusari | 3000 | 500 | | | | | 1400 | | | | 600 |
| 9 | Jhajjar | 28000 | 26390 | 1375 | 0 | 0 | 0 | 0 | 0 | 0 | 30 | 30 |
| | Jajhhbar | 4500 | 3900 | 600 | | | | | | | | |
| | Beri | 9500 | 9130 | 305 | | | | | | | | |
| | Sahlwas | 1000 | 900 | 100 | | | | | | | | |
| | Matnhill | 3000 | 2800 | 130 | | | | | | | | |
| | B/Garh | 10000 | 9660 | 240 | | | | | | | | 30 |
| 10 | Bhiwani | 13000 | 10200 | 0 | 0 | 1100 | 200 | 0 | 0 | 0 | 0 | 0 |
| | Bhiwani | 5000 | | | | | | | | | | |
| | Bhiwani Khera | 4000 | | | | | | | | | | |
| | Dadri | 2500 | | | | | | | | | | |
| | Dadri II | 1500 | | | | | | | | | | |

Block wise Basmati acreage in Haryana during kharif -2014

| Sl. No. | District/Block | Total Paddy | Pusa 1121 | CSR 30 | Super | Pusa 1509 | PB -1 | PB-3 | HBC 19 | Pusa 1401 | Sharbati | Area (ha) |
|-----------|--------------------|--------------|--------------|--------------|------------|--------------|--------------|-------------|-----------|-------------|-------------|------------|
| 11 | Yamunanagar | 66000 | 2447 | 165 | 0 | 4984 | 9538 | 0 | 0 | 0 | 0 | 305 |
| | Radore | 12400 | 680 | 20 | | 415 | 6200 | | | | | 40 |
| | Mustafabad | 9500 | 160 | 50 | | 645 | 430 | | | | | 25 |
| | Jagadhari | 13500 | 1090 | 60 | | 790 | 1740 | | | | | |
| | Bilaspur | 10500 | 350 | 35 | | 850 | 60 | | | | | |
| | Chachhroli | 14600 | 127 | | | 2280 | 1108 | | | | | |
| | sadhaura | 5500 | 40 | | | 4 | | | | | | |
| 12 | Panipat | 70000 | 43283 | 0 | 0 | 5865 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Panipat | 13000 | 8420 | | | 1490 | | | | | | |
| | Israna | 15000 | 7200 | | | 1520 | | | | | | |
| | Matloda | 17000 | 7668 | | | 1425 | | | | | | |
| | Sarnalikhia | 12000 | 9500 | | | 205 | | | | | | |
| | Bapoli | 13000 | 10495 | | | 1225 | | | | | | |
| 13 | Jind | 98600 | 47490 | 9260 | 415 | 11250 | 14670 | 1660 | 40 | 2180 | 2285 | |
| | Narwana | 28000 | 4830 | 1080 | | 4150 | 4350 | 1640 | | 1640 | | 2100 |
| | Jind | 17000 | 8000 | 1200 | 320 | 1500 | 5610 | | | | | |
| | Julana | 8500 | 6820 | 820 | | 860 | | | | | | |
| | safidon | 20600 | 15160 | 690 | 35 | 2805 | 750 | 20 | | 540 | | 70 |
| | Piplkhera | 13000 | 7620 | 4090 | | 720 | 365 | | | | | |
| | Alewa | 10500 | 4500 | 1380 | 60 | 900 | 3470 | | | 40 | | |
| | Uchana | 1000 | 560 | | | 315 | 125 | | | | | |
| 14 | Ambala | 81400 | 11540 | 14935 | 860 | 0 | 40 | 0 | 0 | 0 | 746 | |
| | Naraingarh | 13000 | 390 | 160 | | | | | | | | 390 |
| | Ambala | 7300 | 2000 | 3370 | | | | | | | | |
| | Ambala-2 | 26800 | 6800 | 9660 | 655 | | | | | | | |
| | Baraar | 18700 | 1780 | 785 | 205 | | | | | 40 | | |
| | Saha | 8500 | 370 | 880 | | | | | | | | |
| | Sahzadpur | 7100 | 200 | 80 | | | | | | | | |
| 15 | Sonepat | 70000 | 50835 | 3380 | 590 | 11680 | 1750 | 150 | 0 | 0 | 530 | |
| | Gohana | 9500 | 6600 | 685 | | 965 | 525 | 50 | | | | 105 |
| | Mundana | 12000 | 8340 | 320 | 490 | 1940 | 160 | | | | | |
| | Kharkhoda | 6000 | 4445 | 185 | | 1370 | | | | | | 135 |
| | Sonipat | 15000 | 11725 | 755 | | 2430 | | | | | | |
| | Kathura | 2500 | 1895 | 40 | 100 | 1895 | 15 | 100 | | | | |
| | GANOUR | 19000 | 13200 | 1360 | | 1920 | 1050 | | | | | |
| | Rai | 6000 | 4630 | 35 | | 1160 | | | | | | 125 |


Block wise Basmati acreage in Haryana during kharif -2014

| Area (ha) | | | | | | | | | | | |
|-----------|------------------|----------------|---------------|---------------|-------------|---------------|--------------|-------------|-------------|--------------|-------------|
| Sl. No. | District/Block | Total Paddy | Pusa 1121 | CSR 30 | Super | Pusa 1509 | PB -1 | PB-3 | HBC 19 | Pusa 1401 | Sharbati |
| 16 | Hisar | 39300 | 25905 | 1515 | 420 | 7725 | 1470 | 0 | 0 | 135 | 1100 |
| | Hisar I | 220 | 220 | | | | | | | | |
| | Bas | 11000 | 6500 | 1000 | | 2780 | | | | | 720 |
| | Hansi | 10000 | 9045 | 95 | | 480 | | | | | 380 |
| | Narnaul | 11280 | 7465 | 420 | | 2275 | 30 | | | | 135 |
| | Hisar II | 2200 | 915 | | | 700 | 465 | | | | |
| | Ukiana | 1100 | 420 | | | 355 | 235 | | | | |
| | Barwala | 3500 | 1340 | | | 1135 | 740 | | | | |
| 17 | Mewat | 2500 | 2250 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Nuh | 1400 | | | | | | | | | |
| | Punana | 1100 | | | | | | | | | |
| | Nagina | | | | | | | | | | |
| 18 | Rewari | 1800 | 1600 | | | | | | | | |
| 19 | Gurgaon | 3000 | 3000 | | | | | | | | |
| | Sona | 1800 | | | | | | | | | |
| | Gurgaon | 300 | | | | | | | | | |
| | Rupnagar | 200 | | | | | | | | | |
| | Pataudi | 500 | | | | | | | | | |
| 20 | Panchkula | 8500 | | | | | | | | | |
| | Barwala | 3200 | | | | | | | | | |
| | Raipur Rani | 3500 | | | | | | | | | |
| | Pinjore | 1600 | | | | | | | | | |
| | Morni | 150 | | | | | | | | | |
| | Total | 1138900 | 423390 | 133855 | 2785 | 121989 | 86408 | 8130 | 2210 | 22570 | 5936 |

Block wise Basmati acreage in Punjab during Kharif -2014

| Sl. No. | District / Block | Total Basmati | Pusa-1121 | Pusa-1509 | Basmati- 370/CSR-30 | Area (ha) | |
|------------|------------------------|---------------|--------------|--------------|------------------------|-------------|-------------|
| | | | | | | PB-1 | Sharbati |
| 1 | AMRITSAR | 130390 | 76900 | 43150 | 10340 | 0 | 5810 |
| | Ajnala | 19320 | 16410 | 2800 | 110 | | 320 |
| | Chogawan | 14890 | 9720 | 2830 | 2340 | | 940 |
| | Harsha Chhina | 25770 | 17440 | 4900 | 3430 | | 2820 |
| | Jandiala Guru | 6790 | 1200 | 5500 | 90 | | |
| | Majitha | 26500 | 13380 | 9880 | 3240 | | |
| | Rayya | 5380 | 2840 | 2260 | 280 | | |
| | Tarsikka | 1830 | 580 | 1220 | 30 | | |
| | Verka | 18940 | 10320 | 8280 | 340 | | 1290 |
| | Attari | 10970 | 5010 | 5480 | 480 | | 440 |
| 2 | BARNALI | 6000 | 2800 | 560 | 0 | 2640 | 0 |
| | Barnala | 1500 | 700 | 140 | | 660 | |
| | Sehna | 2250 | 1050 | 210 | | 990 | |
| 3 | BATHINDA | 24590 | 7860 | 11820 | 0 | 4910 | 0 |
| | Mehal Kalan | 2250 | 1050 | 210 | | 990 | |
| | Rampura | 3900 | 1250 | 1870 | | 780 | |
| | Phul | 8620 | 2760 | 4140 | | 1720 | |
| | Nathana | 4200 | 1340 | 2020 | | 840 | |
| | Bathinda | 3340 | 1070 | 1600 | | 670 | |
| | Maur | 1400 | 450 | 670 | | 280 | |
| | Sangat | 1100 | 350 | 530 | | 220 | |
| | Talwandi Sabo | 830 | 260 | 410 | | 160 | |
| | Bhagta Bhai Ka | 1200 | 380 | 580 | | 240 | |
| 4 | FARIDKOT | 22000 | 20900 | 1100 | 0 | 0 | 0 |
| | Faridkot | 10050 | 9550 | 500 | | | |
| | Kotkapura | 11950 | 11350 | 600 | | | |
| 5 | FATEHGARH SAHIB | 19000 | 8910 | 9130 | 960 | 0 | 0 |

Block wise Basmati acreage in Punjab during kharif -2014

| Sl. No. | District / Block | Total Basmati | Pusa-1121 | Pusa-1509 | Area (ha) | |
|--------------------|------------------|---------------|--------------|--------------|------------------------|--------------|
| | | | | | Basmati- 370/CSR-30 | PB-1 |
| Khera | | 2370 | 1110 | 1140 | 120 | |
| Bassi pathana | | 4740 | 2220 | 2280 | 240 | |
| Khamano | | 1370 | 640 | 660 | 70 | |
| Sirhind | | 4950 | 2320 | 2380 | 250 | |
| Amloh / Gobindgarh | | 5570 | 2620 | 2670 | 280 | |
| 6 FAZILKA | | 72000 | 50400 | 21600 | 0 | 0 |
| Fazilka | | 30000 | 21000 | 9000 | | |
| Abohar | | 2000 | 1400 | 600 | | |
| Jalalabad | | 38000 | 26600 | 11400 | | |
| Kharian Sarvar | | 2000 | 1400 | 600 | | |
| 7 FEROZEPUR | | 42000 | 26010 | 10220 | 0 | 5770 |
| Ferozepur | | 5700 | 2820 | 1360 | | 1520 |
| Ghall Khurd | | 5700 | 2820 | 1360 | | 1520 |
| Guru Har Sahai | | 18200 | 11830 | 4550 | | 1820 |
| Makhu | | 2700 | 1750 | 680 | | 270 |
| Mamdot | | 6500 | 4550 | 1630 | | 320 |
| Zira | | 3200 | 2240 | 640 | | 320 |
| 8 GURDASPUR | | 84740 | 49940 | 24370 | 10430 | 16110 |
| Gurdaspur | | 11130 | 7790 | 2230 | 1110 | 4540 |
| Dhariwal | | 10810 | 7030 | 2700 | 1080 | 370 |
| Khanuwian | | 9040 | 5880 | 2260 | 900 | 1650 |
| Kalanaur | | 7140 | 4640 | 2500 | | |
| Dinanagar | | 7240 | 4340 | 1520 | 1380 | 2260 |
| Batala | | 6730 | 2020 | 3370 | 1340 | |
| Sh Hargobindpur | | 6790 | 4410 | 1020 | 1360 | |
| Fatehgarh Churian | | 7670 | 4990 | 1330 | 1350 | 2480 |
| Quadian | | 7140 | 4980 | 1780 | 380 | 1750 |

Block wise Basmati acreage in Punjab during kharif -2014

| Sl. No. | District / Block | Total Basmati | Pusa-1121 | Pusa-1509 | Area (ha) | | |
|------------|-------------------|---------------|--------------|-------------|------------------------|----------|----------|
| | | | | | Basmati- 370/CSR-30 | PB-1 | Sharbati |
| | Dera Baba Nanak | 6730 | 2350 | 3720 | 660 | | 2230 |
| | Dorangla | 4320 | 1510 | 1940 | 870 | | 830 |
| 9 | HOSHARPUR | 15000 | 6950 | 5340 | 2710 | 0 | 0 |
| | Hoshiarpur-I | 850 | 590 | 260 | | | |
| | Hoshiarpur-II | 500 | 400 | 100 | | | |
| | Bhunga | 170 | 50 | 50 | 70 | | |
| | Tanda | 2020 | 1010 | 600 | 410 | | |
| | Dasuya | 3000 | 1200 | 1500 | 300 | | |
| | Mukerian | 2060 | 720 | 720 | 620 | | |
| | Hajipur | 2000 | 600 | 600 | 800 | | |
| | Talwara | 1100 | 660 | 220 | 220 | | |
| | Mahilpur | 1200 | 360 | 720 | 120 | | |
| | Garhsankar | 2100 | 1360 | 570 | 170 | | |
| 10 | JALANDHAR | 24000 | 16610 | 5300 | 2090 | 0 | 0 |
| | Jalandhar East | 4030 | 2850 | 820 | 360 | | |
| | Jalandhar West | 3040 | 2140 | 620 | 280 | | |
| | Adampur | 2160 | 1730 | 370 | 60 | | |
| | Bhogpur | 1990 | 1030 | 430 | 530 | | |
| | Philour | 1750 | 1400 | 350 | | | |
| | Rurka Kalan | 1510 | 1060 | 450 | | | |
| | Noor Mahal | 2500 | 1980 | 520 | | | |
| | Nakodar | 3300 | 2020 | 730 | 550 | | |
| | Shahkot | 2200 | 1340 | 550 | 310 | | |
| | Lohian | 1520 | 1060 | 460 | | | |
| 11 | KAPURTHALA | 21930 | 15080 | 5470 | 1380 | 0 | 0 |
| | Kapurthala | 4170 | 2920 | 1040 | 210 | | |
| | Sultangpur Lodhi | 4280 | 3310 | 760 | 210 | | |

Block wise Basmati acreage in Punjab during Kharif -2014

| Sl. No. | District / Block | Total Basmati | Pusa-1121 | Pusa-1509 | Area (ha) | |
|------------|------------------|---------------|--------------|-------------|------------------------|-------------|
| | | | | | Basmati- 370/CSR-30 | PB-1 |
| | Phagwara | 6740 | 4380 | 1680 | 680 | |
| | Dhilwan | 5040 | 3220 | 1540 | 280 | |
| | Nadala | 1700 | 1250 | 450 | | |
| 12 | LUDHIANA | 33960 | 24290 | 7930 | 1740 | 0 |
| | Ludhiana-I | 2830 | 1990 | 840 | | |
| | Ludhiana-II | 2820 | 1970 | 850 | | |
| | Machiwara | 3390 | 2200 | 850 | 340 | |
| | Samrala | 1990 | 1590 | 400 | | |
| | Khanna | 2820 | 2260 | 560 | | |
| | Doraha | 2830 | 2270 | 560 | | |
| | Dehlon | 2830 | 2270 | 560 | | |
| | Pakhowal | 2830 | 2270 | 560 | | |
| | Sudhar | 3400 | 2210 | 850 | 340 | |
| | Jagraon | 3390 | 2370 | 680 | 340 | |
| | Sidhwian Bet | 2490 | 1600 | 640 | 250 | |
| | Rai Kot | 2340 | 1290 | 580 | 470 | |
| 13 | MANSA | 15000 | 7690 | 5900 | 0 | 1410 |
| | Mansa | 3210 | 1190 | 1720 | 300 | |
| | Bhikhi | 5030 | 2010 | 2520 | 500 | |
| | Bhudhalada | 5040 | 3280 | 1260 | 500 | |
| | Jhunir | 540 | 380 | 160 | | |
| | sardulgarh | 1180 | 830 | 240 | 110 | |
| 14 | MOGA | 37000 | 25420 | 9160 | 700 | 1720 |
| | Moga-I | 9410 | 7060 | 2350 | | |
| | Moga-II | 3600 | 2520 | 1080 | | |
| | Bagha Purana | 14010 | 8410 | 3500 | 700 | 1400 |
| | Nihal Singh wala | 5560 | 3890 | 1350 | 320 | |

Block wise Basmati acreage in Punjab during Kharif -2014

| Sl. No. | District / Block | Total Basmati | Pusa-1121 | Pusa-1509 | Area (ha) | | |
|------------|-------------------|---------------|--------------|--------------|------------------------|-------------|--------------|
| | | | | | Basmati- 370/CSR-30 | PB-1 | Sharbati |
| | Kot Ise khan | 4420 | 3540 | 880 | | | |
| 15 | MOHALI | 4000 | 2790 | 780 | 430 | 0 | 0 |
| | Kharar | 670 | 470 | 130 | 70 | | |
| | Majri | 660 | 450 | 120 | 90 | | |
| | Derabassi | 2670 | 1870 | 530 | 270 | | |
| 16 | MUKATSAR | 74000 | 66990 | 7010 | 0 | 0 | 0 |
| | Muktsar | 22200 | 21090 | 1110 | | | |
| | Malout | 18650 | 17720 | 930 | | | |
| | Giddarbaha | 18350 | 15600 | 2750 | | | |
| | Lambi | 14800 | 12580 | 2220 | | | |
| 17 | NAWANSHAHR | 8000 | 5060 | 1770 | 1170 | 0 | 0 |
| | Nawanshahr | 2000 | 1200 | 500 | 300 | | |
| | Banga | 2400 | 1440 | 600 | 360 | | |
| | Aur | 2300 | 1380 | 580 | 340 | | |
| | Balachaur | 900 | 720 | 90 | 90 | | |
| | Saroya | 400 | 320 | | 80 | | |
| 18 | PATHANKOT | 11000 | 7810 | 3190 | 0 | 0 | 12640 |
| | Pathankot | 2500 | 1570 | 930 | | | 2500 |
| | N.J. Singh | 5300 | 3580 | 1720 | | | 7050 |
| | Bamial | 1000 | 860 | 140 | | | 1030 |
| | Dhar Kalan | 1800 | 1450 | 350 | | | 1990 |
| | Srianpur | 400 | 350 | 50 | | | 70 |
| 19 | PATIALA | 37690 | 16830 | 13060 | 2860 | 4940 | 0 |

Block wise Basmati acreage in Punjab during Kharif -2014

| Sl. No. | District / Block | Total Basmati | Pusa-1121 | Pusa-1509 | Basmati- 370/CSR-30 | PB-1 | Area (ha) | |
|------------|------------------|---------------|--------------|--------------|------------------------|-------------|------------|--|
| | | | | | | | Sharbati | |
| | Patiala | 4680 | 2150 | 1750 | 550 | 230 | | |
| | Nabha | 5260 | 3160 | 1580 | 160 | 360 | | |
| | Saman | 3800 | 1440 | 1860 | 380 | 120 | | |
| | Patran | 2920 | 1170 | 880 | 290 | 580 | | |
| | Bhunerheri | 7210 | 2880 | 2160 | 360 | 1810 | | |
| | Sanour | 5260 | 2100 | 1580 | 260 | 1320 | | |
| | Rajpura | 3900 | 1790 | 1480 | 390 | 240 | | |
| | Ghanour | 4660 | 2140 | 1770 | 470 | 280 | | |
| 20 | RUPNAGAR | 7000 | 4050 | 2100 | 850 | 0 | 0 | |
| | Rupnagar | 3080 | 1850 | 920 | 310 | | | |
| | Chamkaur Sahib | 1680 | 1000 | 500 | 180 | | | |
| | Nurpur Bedi | 420 | 200 | | 220 | | | |
| | Morinda | 1680 | 1000 | 680 | | | | |
| | Anandpur Sahib | 140 | | | 140 | | | |
| 21 | SANGRUR | 42140 | 21250 | 17660 | 0 | 3230 | 0 | |
| | Sangrur | 5050 | 2270 | 2020 | | 760 | | |
| | Bhawanigarh | 4200 | 1890 | 2100 | | 210 | | |
| | Ahmedgarh | 4250 | 1910 | 2120 | | 220 | | |
| | Malerkotla | 4670 | 2490 | 1580 | | 600 | | |
| | Dhuri | 3750 | 2060 | 1690 | | | | |
| | Sherpur | 4360 | 2400 | 1530 | | 430 | | |
| | Sunam | 5370 | 2690 | 2420 | | 260 | | |
| | Lehra gaga | 5490 | 2740 | 2200 | | 550 | | |

Block wise Basmati acreage in Punjab during kharif -2014

| Sl. No. | District / Block | Total Basmati | Pusa-1121 | Pusa-1509 | Basmati- 370/CSR-30 | PB-1 | Area (ha) | |
|------------|------------------|---------------|---------------|---------------|------------------------|--------------|--------------|--|
| | | | | | | | Sharbatī | |
| 22 | TARN TARAN | 126000 | 77890 | 40540 | 7570 | 0 | 3810 | |
| | TarnTaran | 16700 | 9940 | 5310 | 1450 | | 1180 | |
| | Chohla Sahib | 20800 | 15390 | 5410 | | | | |
| | Naushera Pannuan | 18910 | 11310 | 6270 | 1330 | | | |
| | Gandiwind | 12080 | 4240 | 4120 | 3720 | | 1380 | |
| | Khadaur Sahib | 9340 | 4500 | 4280 | 560 | | 370 | |
| | Patti | 15960 | 12010 | 3950 | | | | |
| | Valtoha | 15610 | 10630 | 4980 | | | 880 | |
| | Bhikhawind | 16600 | 9870 | 6220 | 510 | | | |
| | Total | 857440 | 542430 | 247160 | 43230 | 24620 | 38370 | |


Block wise and Variety wise acreage under total rice and Basmati + Scented varieties in Uttar Pradesh - (2014)

| S. No. | District/Block | Total Rice | Pusa - 1121 | Basmati Varieties | | | | Area (Ha) | |
|----------|-----------------------|--------------|--------------|-------------------|----------|----------|-------------|--------------|----------------|
| | | | | PB 1/ PB6 | Type - 3 | HBC- 19 | CSR-30 | Pusa-1509 | Sugandha 2,3&5 |
| 1 | Ali garh | 57205 | 18353 | 4472 | 0 | 5 | 7247 | 15550 | 1525 |
| | Dhanipur | 5958 | 2575 | 310 | - | 5 | 610 | 1985 | 145 |
| | Lodha | 3210 | 975 | 175 | - | - | 395 | 1200 | 155 |
| | Jawan | 5545 | 2755 | 435 | - | - | 785 | 1465 | 195 |
| | Akrabad | 4555 | 1985 | 450 | - | - | 457 | 1350 | 285 |
| | Atroli | 3905 | 1255 | 127 | - | - | 715 | 1645 | 145 |
| | Bijoli | 3755 | 968 | 155 | - | - | 655 | 1200 | 185 |
| | Gangiri | 3155 | 800 | 135 | - | - | 485 | 975 | 75 |
| | Khair | 4375 | 1860 | 800 | - | - | 635 | 755 | 105 |
| | Chandous | 3150 | 1455 | 150 | - | - | 490 | 1150 | 45 |
| | Tappal | 4055 | 1355 | 985 | - | - | 615 | 930 | 55 |
| | Iglas | 4130 | 1255 | 215 | - | - | 655 | 1545 | 85 |
| | Gonda | 4255 | 1115 | 535 | - | - | 750 | 1350 | 50 |
| 2 | Hathras | 19945 | 4435 | 815 | 0 | 0 | 0 | 3380 | 8940 |
| | Hasain | 5955 | 1210 | 235 | - | - | 685 | 2455 | 155 |
| | Sikandrarao | 6250 | 1735 | 195 | - | - | 985 | 2505 | 115 |
| | Sapau | 4305 | 955 | 215 | - | - | 985 | 2155 | 45 |
| | Mursan | 790 | 105 | 45 | - | - | 210 | 370 | 10 |
| | Hathras | 1155 | 185 | 55 | - | - | 205 | 685 | 15 |
| | Sasani | 915 | 190 | 55 | - | - | 205 | 415 | 17 |
| | Sadabad | 575 | 55 | 15 | - | - | 105 | 355 | 5 |
| 3 | Etah + Kasganj | 32927 | 5455 | 565 | 0 | 0 | 0 | 4845 | 11144 |
| | | | | | | | | | 690 |


Block wise and Variety wise acreage under total rice and Basmati + Scented varieties in Uttar Pradesh- (2014)

| S. No. | District/Block | Total Rice | Basmati Varieties | | | | | Area (Ha) | |
|-----------|-------------------|--------------|-------------------|--------------|-------------|------------|------------|-------------|-------------------|
| | | | Pusa - 1121 | PB 1/ PB6 | Type - 3 | HBC- 19 | CSR-30 | Pusa-1509 | Sugandha 2,3&5 |
| | Sheetalpur | 3055 | 410 | 75 | - | - | - | 510 | 900 |
| | Sakeet | 5550 | 980 | 70 | - | - | - | 455 | 1320 |
| | Nindholikala | 2255 | 455 | 45 | - | - | - | 410 | 250 |
| | Marehara | 1535 | 315 | 15 | - | - | - | 205 | 735 |
| | Aliganj | 510 | 45 | 25 | - | - | - | 105 | 270 |
| | Jaithra | 265 | 40 | 10 | - | - | - | 55 | 90 |
| | Jalesar | 2725 | 385 | 45 | - | - | - | 285 | 1455 |
| | Awagarh | 2585 | 510 | 55 | - | - | - | 285 | 985 |
| | Soron | 1955 | 255 | 20 | - | - | - | 215 | 785 |
| | Kasganj | 1795 | 255 | 25 | - | - | - | 335 | 655 |
| | Tilpura | 2957 | 485 | 55 | - | - | - | 535 | 815 |
| | Ganj dundwara | 1785 | 215 | 25 | - | - | - | 535 | 795 |
| | Patiyali | 2715 | 695 | 55 | - | - | - | 415 | 845 |
| | Amapur | 1785 | 255 | 35 | - | - | - | 305 | 729 |
| | Sawat | 1455 | 155 | 10 | - | - | - | 195 | 515 |
| 4 | G.B. Nagar | 24835 | 18010 | 1600 | 0 | 0 | 0 | 1830 | 1280 |
| | Bisrakh | 3610 | 2370 | 425 | - | - | - | 275 | 245 |
| | Dadri | 5750 | 4270 | 545 | - | - | - | 260 | 345 |
| | Dankour | 7530 | 5635 | 685 | - | - | - | 515 | 275 |
| | Jebar | 7945 | 5735 | 515 | - | - | - | 780 | 415 |
| 5 | Baghpat | 5680 | 1471 | 1140 | 25 | 55 | 144 | 1275 | 1200 |
| | Chhaproli | 785 | 215 | 145 | - | - | 45 | 235 | 145 |


Block wise and Variety wise acreage under total rice and Basmati + Scented varieties in Uttar Pradesh- (2014)

| S. No. | District/Block | Total Rice | Basmati Varieties | | | | | Area (Ha) | |
|-----------|--------------------|--------------|-------------------|--------------|-------------|------------|----------|-------------|-------------------|
| | | | Pusa - 1121 | PB 1/ PB6 | Type - 3 | HBC- 19 | CSR-30 | Pusa-1509 | Sugandha 2,3&5 |
| | Barot | 855 | 256 | 125 | - | - | 34 | 215 | 205 |
| | Bagpat | 985 | 265 | 155 | 25 | 5 | 30 | 255 | 155 |
| | Kirana | 1155 | 385 | 255 | - | 30 | - | 210 | 250 |
| | Khekhda | 1135 | 235 | 315 | - | 20 | 35 | 215 | 210 |
| | Binoli | 765 | 115 | 145 | - | - | - | 145 | 235 |
| 6 | Bulandshahr | 61515 | 21065 | 6145 | 0 | 0 | 5 | 6735 | 22145 |
| | Sikandrabad | 6595 | 4185 | 895 | - | - | - | 490 | 785 |
| | Gulavati | 3740 | 1535 | 795 | - | - | - | 415 | 855 |
| | Lakhawati | 5070 | 3155 | 940 | - | - | - | 570 | 890 |
| | Bulandshahar | 4310 | 2055 | 310 | - | - | - | 460 | 1210 |
| | Shikarpur | 4400 | 915 | 280 | - | - | - | 480 | 1890 |
| | B.B. Nagar | 1790 | 290 | 100 | - | - | - | 270 | 1030 |
| | Sayana | 1790 | 385 | 145 | - | - | - | 260 | 780 |
| | Jahangirabad | 3250 | 715 | 410 | - | - | - | 430 | 1280 |
| | Khurja | 5090 | 1155 | 350 | - | - | - | 410 | 2350 |
| | Arnia | 3670 | 1225 | 310 | - | - | - | 380 | 1960 |
| | Pahasu | 6040 | 1615 | 480 | - | - | - | 680 | 2850 |
| | Unchagao | 1510 | 470 | 60 | - | - | 5 | 200 | 350 |
| | Danpur | 4270 | 1025 | 470 | - | - | - | 570 | 1580 |
| | Dibai | 3510 | 735 | 170 | - | - | - | 380 | 1640 |
| | Anopshahar | 4700 | 1125 | 270 | - | - | - | 460 | 1955 |
| | Agota | 1780 | 480 | 160 | - | - | - | 280 | 740 |

Block wise and Variety wise acreage under total rice and Basmati + Scented varieties in Uttar Pradesh- (2014)

| S. No. | District/Block | Total Rice | Basmati Varieties | | | | | Area (Ha) | | |
|-----------|-----------------------------|--------------|-------------------|--------------|-------------|------------|-----------|-------------|-------------------------------------|-------------|
| | | | Pusa - 1121 | PB 1/ PB6 | Type - 3 | HBC- 19 | CSR-30 | Pusa-1509 | Non Basmati Long grain Varieties | |
| | | | | | | | | | Sugandha 2,3&5 | Sharbati |
| 7 | Gaziabad + Hapur | 20455 | 5685 | 1100 | 5 | 0 | 20 | 3640 | 7410 | 1035 |
| | Rajapura | 2315 | 1415 | 185 | - | - | - | 225 | 430 | 25 |
| | Loni | 865 | 310 | 35 | - | - | - | 175 | 315 | 15 |
| | Muradnagar | 1785 | 750 | 165 | - | - | - | 315 | 540 | 75 |
| | Bhojpur | 1545 | 385 | 65 | - | - | - | 275 | 645 | 10 |
| | Hapur | 4130 | 1145 | 175 | 5 | - | 5 | 985 | 1935 | 25 |
| | Dholana | 3730 | 750 | 185 | - | - | 5 | 545 | 545 | 645 |
| | Garih | 3955 | 615 | 245 | - | - | 5 | 685 | 1785 | 215 |
| | Simbhawali | 2130 | 315 | 45 | - | - | 5 | 435 | 1215 | 25 |
| 8 | Meerut | 15935 | 3260 | 3265 | 95 | 52 | 40 | 2925 | 4115 | 305 |
| | Hastinapur | 1585 | 440 | 550 | 30 | 10 | 10 | 150 | 115 | 55 |
| | Jani | 1260 | 320 | 90 | 10 | 5 | 255 | 460 | 5 | |
| | Mavana | 1680 | 310 | 170 | 10 | 5 | 350 | 540 | 60 | |
| | Parichittgarh | 1840 | 210 | 530 | 40 | 20 | 10 | 350 | 450 | 60 |
| | Meerut | 670 | 150 | 125 | 5 | 2 | 5 | 140 | 180 | 10 |
| | Kharhonda | 1140 | 230 | 80 | 5 | - | - | 280 | 410 | 20 |
| | Machhara | 1280 | 230 | 120 | - | - | - | 270 | 470 | 40 |
| | Rohta | 1140 | 360 | 130 | - | - | - | 270 | 240 | 20 |
| | Sardana | 1280 | 150 | 410 | - | 5 | 180 | 430 | 5 | |
| | Rajipura | 1480 | 400 | 90 | 5 | 5 | - | 280 | 450 | 20 |
| | Dorala | 1350 | 270 | 510 | - | 5 | - | 190 | 180 | 10 |
| | Saroorpur | 1230 | 190 | 460 | - | - | - | 210 | 190 | |

Block wise and Variety wise acreage under total rice and Basmati + Scented varieties in Uttar Pradesh - (2014)

| S. No. | District/Block | Total Rice | Pusa - 1121 | PB 1/ PB 6 | Type - 3 | HBC- 19 | Basmati Varieties | | | Area (Ha) | |
|-----------|-----------------------------------|--------------|--------------|---------------|-------------|------------|-------------------|-------------|-------------|-------------------------------------|-------------------|
| | | | | | | | CSR-30 | Pusa-1509 | 2920 | Non Basmati Long grain Varieties | Sugandha 2,3&5 |
| 9 | Muzaffarnagar+ Shamili | 20525 | 4690 | 5095 | 140 | 110 | 70 | 2310 | 835 | | |
| | M. Nagar | 1500 | 300 | 525 | 10 | - | - | 280 | 190 | 10 | 10 |
| | Bogra | 1200 | 240 | 360 | | | 10 | 245 | 190 | 40 | 40 |
| | Sardhawan | 1800 | 250 | 210 | 10 | - | - | 210 | 60 | 55 | 55 |
| | Purkaji | 2500 | 750 | 450 | 40 | 30 | 20 | 150 | 90 | 300 | 300 |
| | Jansath | 1230 | 150 | 370 | 10 | 10 | 20 | 150 | 170 | 70 | 70 |
| | Khatoli | 1700 | 310 | 340 | - | - | - | - | 210 | 220 | 20 |
| | Borda | 1180 | 290 | 320 | 10 | 10 | 0 | 0 | 150 | 120 | 30 |
| | Shahpur | 1300 | 400 | 240 | 10 | - | - | 180 | 210 | 40 | 40 |
| | Udana | 1080 | 180 | 310 | 10 | 50 | - | 205 | 210 | 30 | 30 |
| | Kandla | 1150 | 210 | 320 | 20 | - | 10 | 220 | 170 | 50 | 50 |
| | Shamli | 1475 | 200 | 600 | | | 10 | 280 | 110 | 40 | 40 |
| | Udon | 1400 | 600 | 270 | 10 | 10 | - | 140 | 170 | 70 | 70 |
| | Kerana | 1210 | 210 | 230 | 10 | - | - | 300 | 250 | 50 | 50 |
| | Thanabhabwan | 1800 | 600 | 550 | | - | - | 200 | 150 | 30 | 30 |
| 10 | Saharanpur | 48990 | 12820 | 10450 | 240 | 100 | 0 | 6960 | 4715 | 7195 | |
| | Baliakheri | 5700 | 1450 | 1050 | 50 | 30 | - | 670 | 510 | 750 | 750 |
| | Punwarka | 5540 | 1750 | 1030 | 30 | 10 | - | 780 | 430 | 800 | 800 |
| | Nakur | 6540 | 1740 | 1980 | 10 | 10 | - | 680 | 550 | 850 | 850 |
| | Sarsawan | 5540 | 1530 | 1760 | 10 | - | - | 585 | 410 | 780 | 780 |
| | Gangoh | 4750 | 1540 | 1740 | 30 | 40 | - | 760 | 310 | 650 | 650 |


Block wise and Variety wise acreage under total rice and Basmati + Scented varieties in Uttar Pradesh- (2014)

| S. No. | District/Block | Total Rice | Basmati Varieties | | | | Non Basmati Long grain Varieties | | Area (Ha) |
|---------------------|----------------|-------------|-------------------|-----------|------------|-------------|----------------------------------|-------------|--------------|
| | | | Pusa - 1121 | PB 1/ PB6 | Type - 3 | HBC-19 | CSR-30 | Pusa-1509 | |
| Rampur | 5210 | 1540 | 1030 | 40 | 10 | - | 750 | 410 | 985 |
| Nanota | 5450 | 1240 | 880 | 30 | - | - | 1145 | 450 | 650 |
| Devband | 1980 | 490 | 110 | - | - | - | 510 | 685 | 15 |
| Nagal | 3410 | 870 | 570 | 20 | - | - | 570 | 510 | 580 |
| Sadholikalan | 2340 | 280 | 125 | - | - | - | 280 | 240 | 585 |
| Muzzafarabad | 2530 | 390 | 175 | 20 | - | - | 230 | 210 | 550 |
| 11 Moradabad | 70740 | 2635 | 730 | 0 | 250 | 3650 | 4535 | 8509 | |
| Billari | 4130 | 350 | 110 | - | - | 30 | 885 | 750 | 1345 |
| Moradabad | 5910 | 450 | 120 | - | - | 20 | 685 | 360 | 715 |
| Chhajlet | 3770 | 455 | 50 | - | - | 30 | 115 | 780 | 865 |
| Mudapandy | 8310 | 345 | 50 | - | - | 30 | 215 | 750 | 1055 |
| Kundarki | 8720 | 355 | 170 | - | - | 70 | 945 | 785 | 1145 |
| Thakurdwar | 15670 | 240 | 110 | - | - | 20 | 245 | 430 | 1154 |
| Bhagatpur Tandan | 12340 | 255 | 70 | - | - | 40 | 315 | 340 | 1245 |
| Dillari | 11890 | 185 | 50 | - | - | 10 | 245 | 340 | 985 |
| 12 Bijnore | 32950 | 3235 | 3160 | 20 | 0 | 175 | 4030 | 2290 | 17110 |
| Mohamadpur | 2370 | 180 | 310 | 5 | - | - | 310 | 120 | 1340 |
| Haldore | 2540 | 195 | 265 | 5 | - | 10 | 250 | 130 | 1510 |
| Nurpur | 2790 | 210 | 185 | 5 | - | - | 390 | 210 | 1570 |
| Jalilpur | 3010 | 180 | 170 | 5 | - | 10 | 330 | 120 | 1410 |
| Dhampur | 1960 | 120 | 50 | - | - | - | 230 | 210 | 1270 |
| Chuhara | 2140 | 80 | 50 | - | - | 10 | 250 | 130 | 1460 |


Block wise and Variety wise acreage under total rice and Basmati + Scented varieties in Uttar Pradesh- (2014)

| S. No. | District/Block | Total Rice | Basmati Varieties | | | | Non Basmati Long grain Varieties | | Area (Ha) |
|-----------|-------------------|---------------|-------------------|-------------|----------|----------|----------------------------------|-------------|-------------|
| | | | Pusa - 1121 | PB 1/ PB6 | Type - 3 | HBC-19 | CSR-30 | Pusa-1509 | |
| | Mehtore | 2040 | 70 | 110 | - | - | - | 280 | 250 |
| | Afjalgarh | 3280 | 250 | 430 | - | - | 50 | 780 | 70 |
| | Kotwali | 5160 | 750 | 830 | - | - | 5 | 530 | 410 |
| | Najibabad | 5310 | 850 | 710 | - | - | 50 | 370 | 430 |
| | Keeratpur | 2350 | 350 | 50 | - | - | 40 | 310 | 210 |
| 13 | Rampur | 129095 | 1198 | 290 | | 0 | 135 | 5295 | 745 |
| | Subar | 24100 | 200 | 30 | - | - | 20 | 1150 | 100 |
| | Vilaspur | 23570 | 170 | 40 | - | - | 10 | 1670 | 45 |
| | Shayatnagar | 19500 | 130 | 25 | - | - | 20 | 730 | 310 |
| | Chabroa | 18300 | 230 | 30 | - | - | 30 | 670 | 120 |
| | Shahabad | 19115 | 358 | 125 | - | - | 15 | 385 | 130 |
| | Milakh | 24510 | 110 | 40 | - | - | 40 | 690 | 40 |
| 14 | J.P. Nagar | 19875 | 1715 | 1345 | | 0 | 34 | 3135 | 3325 |
| | Amroha | 3255 | 170 | 150 | - | - | 10 | 545 | 410 |
| | Joya | 3350 | 385 | 50 | - | - | 2 | 785 | 645 |
| | Dhanora | 3520 | 230 | 510 | - | - | 5 | 585 | 510 |
| | Gajrola | 3210 | 380 | 145 | - | - | 5 | 455 | 710 |
| | Hasanpur | 3430 | 170 | 280 | - | - | 7 | 455 | 540 |
| | Gangeshwani | 3110 | 380 | 210 | - | - | 5 | 310 | 510 |
| 15 | Pilibhit | 159445 | 2015 | 160 | 0 | 0 | 30 | 2340 | 440 |
| | Nurori | 16555 | 350 | 25 | - | - | - | 215 | 35 |
| | Lalorikhera | 9245 | 400 | 15 | - | - | - | 150 | 25 |

Block wise and Variety wise acreage under total rice and Basmati + Scented varieties in Uttar Pradesh - (2014)

| S. No. | District/Block | Total Rice | Basmati Varieties | | | | Non Basmati Long grain Varieties | | Area (Ha) |
|--------------------|----------------|-------------|-------------------|---------------|-------------|------------|-------------------------------------|-------------|--------------|
| | | | Pusa - 1121 | PB 1/ PB 6 | Type - 3 | HBC- 19 | CSR-30 | Pusa-1509 | |
| Amaria | 23145 | 450 | 25 | - | - | - | - | 385 | 125 |
| Badkhera | 13155 | 115 | 35 | - | - | - | - | 345 | 45 |
| Beejalpur | 14315 | 300 | 20 | - | - | - | - | 385 | 155 |
| Bilsanda | 18765 | 250 | 15 | - | - | 30 | 645 | 25 | 765 |
| Puranpur | 64265 | 150 | 25 | - | - | - | - | 215 | 30 |
| 16 Agra | 3915 | 355 | 80 | 0 | 0 | 0 | 480 | 2480 | 0 |
| Achhnera | 2130 | 155 | 30 | - | - | - | - | 210 | 1455 |
| Atmadpur | 355 | 45 | 15 | - | - | - | - | 95 | 185 |
| Fatehpur Sikri | 1430 | 155 | 35 | - | - | - | - | 175 | 840 |
| 17 Bareilly | 161552 | 2585 | 877 | 0 | 0 | 495 | 7260 | 2965 | 45163 |
| Khyora | 5875 | 135 | 35 | - | - | - | - | 345 | 165 |
| Bitlichaiapur | 11985 | 55 | 35 | - | - | 30 | 455 | 240 | 2050 |
| Bhojpur | 9530 | 55 | 25 | - | - | 40 | 710 | 65 | 2965 |
| Fatehganj | 6315 | 55 | 20 | - | - | 15 | 315 | 85 | 975 |
| Meerganj | 7215 | 125 | 95 | - | - | 15 | 545 | 55 | 2145 |
| Fareedpur | 11895 | 145 | 77 | - | - | 65 | 455 | 75 | 2155 |
| Bhutha | 13545 | 155 | 75 | - | - | 55 | 545 | 320 | 2135 |
| Nababganj | 14785 | 215 | 65 | - | - | 55 | 355 | 130 | 3875 |
| Bhairpura | 10245 | 230 | 45 | - | - | 30 | 340 | 245 | 3785 |
| Bahedi | 14955 | 145 | 25 | - | - | 25 | 350 | 165 | 3758 |
| Damekhoda | 11112 | 245 | 55 | - | - | 35 | 345 | 230 | 4215 |
| SeeshGarh | 10195 | 245 | 115 | - | - | 10 | 685 | 345 | 3955 |

Block wise and Variety wise acreage under total rice and Basmati + Scented varieties in Uttar Pradesh- (2014)

| S. No. | District/Block | Total Rice | Basmati Varieties | | | | Non Basmati Long grain Varieties | | Area (Ha) |
|-----------|----------------|--------------|-------------------|--------------|-------------|-------------|-------------------------------------|-------------|--------------|
| | | | Pusa - 1121 | PB 1/ PB6 | Type - 3 | HBC- 19 | CSR-30 | Pusa-1509 | |
| | Alampur | 14175 | 345 | 65 | - | 20 | 785 | 285 | 4305 |
| | Jafrabad | 10215 | 315 | 85 | - | 55 | 415 | 345 | 4155 |
| | Majhagwa | 9510 | 120 | 60 | - | 45 | 615 | 215 | 3125 |
| 18 | Badaun | 54612 | 3089 | 1295 | 0 | 8643 | 6075 | 7785 | 14926 |
| | Asahpur | 2415 | 110 | 175 | - | 55 | 715 | 540 | 320 |
| | Islammagar | 2115 | 235 | 25 | - | 85 | 365 | 575 | 515 |
| | Bisoli | 2415 | 95 | 45 | - | 105 | 575 | 275 | 585 |
| | Bajirganj | 1957 | 85 | 40 | - | 95 | 315 | 310 | 555 |
| | Dangawan | 1987 | 110 | 35 | - | 153 | 215 | 285 | 650 |
| | Sahswan | 3955 | 135 | 45 | - | 195 | 355 | 455 | 985 |
| | Auyapur | 3357 | 215 | 35 | - | 275 | 315 | 415 | 1217 |
| | Salarpur | 4150 | 215 | 65 | - | 255 | 685 | 765 | 1255 |
| | Jagat | 3757 | 135 | 85 | - | 785 | 785 | 675 | 1255 |
| | Ujhiani | 3455 | 215 | 110 | - | 355 | 285 | 795 | 915 |
| | Kodarchock | 3557 | 235 | 115 | - | 245 | 195 | 455 | 1255 |
| | Samred | 5535 | 385 | 115 | - | 1985 | 215 | 855 | 1455 |
| | Dataganj | 5965 | 255 | 125 | - | 1905 | 615 | 785 | 1455 |
| | Mayaoo | 5977 | 320 | 215 | - | 1255 | 285 | 315 | 1455 |
| | Usava | 4015 | 344 | 65 | - | 895 | 155 | 285 | 1054 |
| 19 | Kannauj | 12470 | 1397 | 110 | 0 | 0 | 1298 | 4360 | |
| | Chhibramau | 2955 | 297 | 15 | - | - | 198 | 555 | |
| | Talgram | 1655 | 175 | - | - | - | 185 | 835 | |

Block wise and Variety wise acreage under total rice and Basmati + Scented varieties in Uttar Pradesh- (2014)

| S. No. | District/Block | Total Rice | Basmati Varieties | | | | Area (Ha) | | |
|-----------|----------------|------------|-------------------|--------------|-------------|------------|-----------|-----------|-------------------|
| | | | Pusa - 1121 | PB 1/ PB6 | Type - 3 | HBC- 19 | CSR-30 | Pusa-1509 | Sugandha 2,3&5 |
| 20 | Firozabad | 19970 | 2990 | 222 | 0 | 0 | 0 | 2089 | 7370 |
| | Tundla | 285 | 45 | 15 | - | - | - | 55 | 85 |
| | Narkhi | 545 | 40 | 10 | - | - | - | 55 | 185 |
| | Shikohabad | 3150 | 835 | 15 | - | - | - | 315 | 1500 |
| | Madanpur | 3755 | 475 | 32 | - | - | - | 345 | 1285 |
| | Araon | 1995 | 215 | 35 | - | - | - | 254 | 985 |
| | Jasrama | 7115 | 1115 | 65 | - | - | - | 785 | 2500 |
| | Hathbant | 215 | 25 | 5 | - | - | - | 25 | 45 |
| | Eka | 2910 | 240 | 45 | - | - | - | 255 | 785 |
| 21 | Mathura | 47689 | 28867 | 1175 | 0 | 0 | 0 | 4998 | 7427 |
| | Mathura | | | | - | - | - | | |
| | Govardhan | 3887 | 2565 | 25 | - | - | - | 815 | 225 |
| | Nand Gaon | 11345 | 8945 | 215 | - | - | - | 895 | 385 |
| | Chhata | 9957 | 7910 | 250 | - | - | - | 985 | 195 |
| | Chomuha | 4530 | 2545 | 135 | - | - | - | 715 | 485 |
| | Farah | 6315 | 1165 | 110 | - | - | - | 525 | 2575 |

Block wise and Variety wise acreage under total rice and Basmati + Scented varieties in Uttar Pradesh- (2014)

| S. No. | District/Block | Total Rice | Basmati Varieties | | | | Non Basmati Long grain Varieties | | Area (Ha) |
|-----------|-----------------|--------------|-------------------|--------------|-------------|------------|----------------------------------|--------------|-------------|
| | | | Pusa - 1121 | PB 1/ PB6 | Type - 3 | HBC- 19 | CSR-30 | Pusa-1509 | |
| | Baldev | 1195 | 545 | 30 | - | - | - | 95 | 495 |
| | Raya | 1347 | 187 | 35 | - | - | - | 175 | 875 |
| | Manth | 3978 | 1055 | 30 | - | - | - | 598 | 1717 |
| | Nayjhil | 5135 | 3950 | 345 | - | - | - | 195 | 475 |
| 22 | Mainpur | 60025 | 19765 | 240 | 0 | 0 | 0 | 11737 | 8320 |
| | Kurawali | 3175 | 1275 | 0 | - | - | - | 1025 | 855 |
| | Ghiroor | 8585 | 4785 | 45 | - | - | - | 3785 | 1785 |
| | Sultanganj | 3155 | 1475 | 35 | - | - | - | 975 | 678 |
| | Bebar | 3215 | 985 | 35 | - | - | - | 887 | 775 |
| | Kishani | 13955 | 1585 | 55 | - | - | - | 1485 | 1325 |
| | Mainpuri Jageer | 11575 | 3785 | 15 | - | - | - | 2450 | 1477 |
| | Karahal | 15215 | 5325 | 45 | - | - | - | 785 | 970 |
| | Barnahal | 1150 | 550 | 10 | - | - | - | 345 | 455 |
| 23 | Etawah | 42645 | 9920 | 145 | 0 | 0 | 0 | 6502 | 5710 |
| | Saifai | 7155 | 1565 | 30 | - | - | - | 885 | 765 |
| | Jaswantnagar | 5145 | 1325 | 20 | - | - | - | 715 | 1135 |
| | Badpura | 1135 | 305 | 10 | - | - | - | 415 | 255 |
| | Bastehar | 7345 | 1445 | 20 | - | - | - | 1105 | 715 |
| | Bhartana | 9455 | 1955 | 15 | - | - | - | 1415 | 945 |
| | Takha | 7775 | 1750 | 30 | - | - | - | 1237 | 885 |
| | Maheva | 4540 | 1565 | 20 | - | - | - | 715 | 975 |
| | Chakarnagar | 95 | 10 | - | - | - | - | 15 | 35 |

Block wise and Variety wise acreage under total rice and Basmati + Scented varieties in Uttar Pradesh - (2014)

| S. No. | District/Block | Total Rice | Pusa - 1121 | PB 1/ PB6 | Type - 3 | HBC- 19 | Basmati Varieties | | | Non Basmati Long grain Varieties | | Area (Ha) |
|-----------|---------------------|---------------|-------------|--------------|-------------|-------------|-------------------|------------------|-------------|-------------------------------------|-----------|-----------|
| | | | | | | | CSR-30 | Pusa-1509 | 952 | Sugandha 2,3&5 | Sharbati | |
| 24 | Farrukhabad | 12405 | 370 | 35 | 0 | 0 | CSR-30 | Pusa-1509 | 952 | 3050 | 10 | |
| | Badpura | 1355 | 45 | - | - | - | | | - | 105 | 315 | 10 |
| | Rajepur | 1735 | 75 | - | - | - | | | - | 145 | 515 | - |
| | Kamalganj | 1955 | 45 | - | - | - | | | - | 105 | 550 | - |
| | Mohandabad | 1685 | 110 | 15 | - | - | | | - | 147 | 325 | - |
| | Nababganj | 1935 | 45 | 10 | - | - | | | - | 170 | 245 | - |
| | Shamshabad | 1785 | 15 | - | - | - | | | - | 185 | 665 | - |
| | Kayamganj | 1955 | 35 | 10 | - | - | | | - | 95 | 435 | - |
| 25 | Auriya | 45045 | 5585 | 175 | 0 | 0 | 777 | 2967 | 2967 | 3705 | 0 | |
| | Auriya | 5985 | 875 | - | - | - | | | - | 35 | 285 | 565 |
| | Ajital | 6125 | 545 | 10 | - | - | | | - | 45 | 135 | 645 |
| | Bhagwant nagar | 7235 | 755 | 45 | - | - | | | - | 355 | 395 | 545 |
| | Bidhuna | 7715 | 1785 | 35 | - | - | | | - | 215 | 415 | 465 |
| | Achalda | 4985 | 315 | 25 | - | - | | | - | 65 | 537 | 465 |
| | Sahar | 5965 | 985 | 35 | - | - | | | - | 35 | 585 | 450 |
| | Aerwakatra | 7035 | 325 | 25 | - | - | | | - | 27 | 615 | 570 |
| 26 | Shahjahanpur | 205446 | 3175 | 755 | 425 | 1293 | 3962 | 1374 | 1374 | 6467 | | |
| | Banda | 22000 | 210 | 45 | - | - | | | - | 435 | 85 | 685 |
| | Khutiar | 11385 | 245 | 40 | - | - | | | - | 115 | 105 | 445 |
| | Puvahya | 16535 | 260 | 55 | - | - | | | - | 125 | 345 | 55 |
| | Sindholi | 19700 | 120 | 25 | - | - | | | - | 45 | 185 | 515 |
| | Khudaganj | 14587 | 185 | 35 | - | - | | | - | 40 | 195 | 65 |


Block wise and Variety wise acreage under total rice and Basmati + Scented varieties in Uttar Pradesh- (2014)

| S. No. | District/Block | Total Rice | Basmati Varieties | | | | Area (Ha) | |
|--------------|----------------|----------------|-------------------|--------------|-------------|------------|--------------|-------------------|
| | | | Pusa - 1121 | PB 1/ PB6 | Type - 3 | HBC- 19 | Pusa-1509 | Sugandha 2,3&5 |
| Jaitpur | | 11255 | 205 | 115 | | 35 | 85 | 385 |
| Tihaar | | 10300 | 135 | 45 | | 35 | 75 | 285 |
| Nigohi | | 11537 | 115 | 25 | | 25 | 86 | 145 |
| Kanth | | 11310 | 135 | 45 | | 35 | 85 | 287 |
| Dadrol | | 11515 | 115 | 25 | - | 55 | 85 | 315 |
| Bhaavalkheda | | 11735 | 115 | 45 | - | 95 | 145 | 215 |
| Clan | | 14937 | 575 | 45 | | 55 | 115 | 300 |
| Mirjapur | | 10350 | 115 | 55 | - | - | 117 | 235 |
| Jalalabad | | 11765 | 195 | 75 | - | 95 | 205 | 215 |
| Madanpur | | 16535 | 450 | 80 | - | 185 | 315 | 150 |
| 27 | Sambhal | 26078 | 3476 | 790 | 0 | 150 | 3951 | 5822 |
| Jummai | | 1947 | 447 | 65 | - | 15 | 215 | 547 |
| Gunnour | | 1547 | 445 | 45 | - | 15 | 135 | 615 |
| Rajpura | | 1945 | 285 | 45 | - | 25 | 216 | 415 |
| Baniakhera | | 4437 | 537 | 185 | - | 15 | 735 | 985 |
| Bahjoi | | 2345 | 385 | 65 | - | 55 | 345 | 885 |
| Sambhal | | 5785 | 495 | 115 | - | 15 | 945 | 785 |
| Pawansa | | 2537 | 345 | 85 | - | 10 | 415 | 795 |
| Asmoli | | 5535 | 537 | 185 | - | - | 945 | 795 |
| Total | | 1411969 | 187616 | 46231 | 525 | 742 | 12266 | 112478 |
| | | | | | | | | 150512 |
| | | | | | | | | 145754 |


Block wise and Variety wise acreage under total rice and Basmati + Scented varieties in Uttarakhand (2013)

| Sl. No. | District/Block | Total Rice | Basmati varieties | | | | | Area (Ha) | |
|---------|----------------|------------|-------------------|-----------|----------|--------|----------------|-----------|----------------|
| | | | Pusa - 1121 | PB 1 /PB6 | Type - 3 | HBC-19 | B-370 / CSR-30 | Pusa-1509 | Sugandha 2,3&5 |
| 1 | Haridwar | 13430 | 2085 | 1320 | 255 | 590 | 1895 | 880 | 475 |
| | Bahadurabad | 3555 | 815 | 175 | 75 | 285 | 675 | 125 | 85 |
| | Narsan | 1975 | 245 | 215 | 10 | 75 | 195 | 85 | 155 |
| | Rurki | 2345 | 400 | 265 | 25 | 25 | 155 | 245 | 85 |
| | Lakshar | 1455 | 245 | 135 | 75 | 95 | 150 | 65 | 45 |
| | Khanpur | 2115 | 135 | 315 | 25 | 85 | 665 | 115 | 50 |
| | Bhagwanpur | 1985 | 245 | 215 | 45 | 25 | 55 | 245 | 55 |
| 2 | Dehradoon | 7995 | 275 | 15 | 1510 | 0 | 695 | 125 | 125 |
| | Doibala | 1945 | 115 | 15 | 375 | - | 135 | 55 | 35 |
| | Raypur | 635 | - | - | 85 | | 35 | 25 | 15 |
| | Sahjpur | 1615 | 65 | - | 315 | - | 135 | 20 | 45 |
| | Vikash Nagar | 2015 | 85 | - | 485 | - | 140 | 25 | 15 |
| | Kalasi | 950 | 10 | | 115 | - | 135 | | 10 |
| | Chackrata | 835 | - | - | 135 | - | 115 | | 5 |
| 3 | U S Nagar | 93996 | 2155 | 290 | 245 | 35 | 475 | 6823 | 425 |
| | Khatima | 15537 | 105 | 15 | 35 | | 75 | 185 | 15 |
| | Sitar Ganj | 14585 | 115 | 10 | 15 | - | 65 | 215 | 25 |
| | Bajpur | 12516 | 405 | 25 | 45 | - | 85 | 1983 | 35 |
| | | | | | | | | | 1240 |

Block wise and Variety wise acreage under total rice and Basmati + Scented varieties in Uttarakhand (2013)

| Sl. No. | District/Block | Total Rice | Basmati varieties | | | | | Area (Ha) | | |
|--------------|-----------------|---------------|-------------------|-------------|-------------|------------|----------------|-------------|----------------|--------------|
| | | | Pusa - 1121 | PB 1 /PB6 | Type - 3 | HBC-19 | B-370 / CSR-30 | Pusa-1509 | Sugandha 2,3&5 | Sharbatí |
| Rudrapur | Rudrapur | 15516 | 515 | 95 | 35 | 5 | 115 | 1445 | 85 | 1485 |
| Jaspur | Jaspur | 10530 | 285 | 45 | 35 | 5 | 55 | 1105 | 105 | 1415 |
| Kashipur | Kashipur | 12737 | 315 | 45 | 15 | 10 | 25 | 1035 | 65 | 1335 |
| Gadarpur | Gadarpur | 12575 | 415 | 55 | 65 | 15 | 55 | 855 | 95 | 1235 |
| 4 | Nainital | 10262 | 195 | 70 | 835 | 0 | 225 | 375 | 127 | 55 |
| Betalghat | Betalghat | 345 | - | - | 15 | - | - | 25 | - | 15 |
| Bhimtal | Bhimtal | 415 | - | - | 10 | - | - | 15 | - | - |
| Dhari | Dhari | 40 | - | - | - | - | - | - | - | - |
| Ramgarh | Ramgarh | 315 | - | - | 10 | - | - | 25 | - | - |
| Okhalgola | Okhalgola | 385 | - | - | 15 | - | - | 45 | - | - |
| Haldwani | Haldwani | 3570 | 115 | 35 | 285 | - | 115 | 55 | 35 | 15 |
| Ram Nagar | Ram Nagar | 3247 | 45 | 35 | 315 | - | 65 | 115 | 47 | 25 |
| Kotabag | Kotabag | 1945 | 35 | - | 185 | - | 45 | 95 | 45 | - |
| Total | | 125683 | 4710 | 1695 | 2845 | 625 | 3290 | 8203 | 1152 | 13585 |

| Block wise and Variety wise acreage under total rice and Basmati & Long grain Non-Basmati varieties in J & K (2014) | | | | | |
|--|-----------------------|-------------------|--------------------|----------------------------|-----------------|
| Sl. No. | District/Block | Total Rice | Pusa - 1121 | Area (Ha) | |
| | | | | Bas.370/ CSR 30 | Sharbati |
| 1 | Jammu | 90000 | 1580 | 50125 | 10175 |
| | Akhnoor | | 50 | 11500 | 3500 |
| | Balwal | | | 550 | |
| | Bishnah | | 1450 | 2700 | 2200 |
| | Marh | | 50 | 3000 | 25 |
| | R.S. Pura | | 30 | 24375 | 4450 |
| | Satwari | | | 8000 | |
| 2 | Kathua | 40000 | 4550 | 7025 | 535 |
| | Kathua | | 1500 | 2175 | 145 |
| | Hiranagar | | 2300 | 2800 | 205 |
| | Barnoti | | 750 | 1800 | 185 |
| | Basholi | | | 250 | |
| 3 | Samba | 12090 | 155 | 2815 | 280 |
| | Samba & Rehian | 1600 | | 700 | 80 |
| | Vijaypur & Ramgarh | 8500 | | 1670 | 75 |
| | Purumandal & Yakh | 1100 | | 75 | |
| | Gaghwal | 890 | 155 | 370 | 125 |
| | Total | 142090 | 6285 | 59965 | 10990 |